File Copy ATTACH Paper #8

EAST: DERWENT EPO JPO USPAT

09/492,590

		8/4/00
L1	0	lon with endA with phage
L2	23	lon with ompt
L3	0	ompt with lon with endA
L4	270	endA
L5	0	endA and (ompt with lon)
L7	4	6 and bl21
L8	1	enda with bl21
L9	333	leuW or proL or ileY
L10	3568	
L11	3	(L9 WITH GENE)
L12	3	(9 WITH GENE)
L13	0	(9 WITH tRNA)
L14	0	9 with (rare adj3 codon)
L15	93	endA and cloning
L16	11	enda same (clone or cloning)
L17	5	(ENDA with (CLONE OR CLONING))
L6	89	((polypeptide or protein) with (expression or production)) and endA
L18	41	enda with coli
L19	28	(ENDA WITH COLI) and improve\$
L20	0	((ENDA WITH COLI) with IMPROVE\$)
L21	0	((ENDA WITH COLI) same IMPROVE\$)
L22	10	enda with coli with transformation
L23	0	endA.ti.
L24	16	lon.ti.

ATTACK PAPET &

```
FILE 'EMBASE, MEDLINE, CAPLUS, BIOSIS' ENTERED AT 11:15:10 ON 04 AUG 2000
 Ll
               2 S ENDA WITH CLONING
 L2
               4 S ENDA WITH COLI
L3
               1 S ENDA WITH TRANSFORMATION
L4
              24 S ENDA (S) (MUTANT OR MUTATION)
L5
               8 DUPLICATE REMOVE L4 (16 DUPLICATES REMOVED)
L6
               7 S L5 (P) COLI
L7
             191 S ILEY OR PROL OR LEUW
L8
               3 S L7 (4W) GENE
L9
               3 S L7 (S) TRNA
L10
               2 S L7 (S) (RARE (2W) CODON)
L11
             183 S PROL
L12
              1 S L11 AND TRNA
L13
              1 S PROL AND TYPHIMURIUM
L14
             10 S PROL AND GENE
L15
           6717 S CCC
            116 S L15 AND TRNA
L16
L17
             93 S L15 (S) TRNA
L18
              1 S L17 AND PROL
L19
              0 S TRNACCCPRO
L20
              5 S TRNAGGGPRO
L21
              3 DUPLICATE REMOVE L20 (2 DUPLICATES REMOVED)
=> s iley (s) gene
L22
             2 ILEY (S) GENE
=> d ti 122 1,2
```

L22 ANSWER 1 OF 2 MEDLINE

Construction of a contiguous 874-kb sequence of the Escherichia coli -K12 genome corresponding to 50.0-68.8 min on the linkage map and analysis of its sequence features.

ANSWER 2 OF 2 CAPLUS COPYRIGHT 2000 ACS L22

Construction of a contiguous 874-kb sequence of the Escherichia coli-K12 TΙ genome corresponding to 50.0-68.8 min on the linkage map and analysis of its sequence features

=> d ibib 122

L22 ANSWER 1 OF 2 MEDLINE ACCESSION NUMBER: 97349980 MEDLINE DOCUMENT NUMBER: 97349980

TITLE:

AUTHOR:

Construction of a contiguous 874-kb sequence of the Escherichia coli -K12 genome corresponding to 50.0-68.8

min

on the linkage map and analysis of its sequence features. Yamamoto Y; Aiba H; Baba T; Hayashi K; Inada T; Isono K; Itoh T; Kimura S; Kitagawa M; Makino K; Miki T; Mitsuhashi N; Mizobuchi K; Mori H; Nakade S; Nakamura Y; Nashimoto H; Oshima T; Oyama S; Saito N; Sampei G; Satoh Y;

Sivasundaram

S; Tagami H; Horiuchi T; et al

CORPORATE SOURCE:

Department of Genetics, Hyogo College of Medicine, Nishinomiya, Japan.

SOURCE:

DNA RESEARCH, (1997 Apr 28) 4 (2) 91-113.

rnal code: CCB. ISSN: 1340-2838 PUB. COUNTRY: an Journal; Article; (JOURNAL ARTICLE) LANGUAGE: English FILE SEGMENT: Priority Journals OTHER SOURCE: GENBANK-D90854; GENBANK-D90855; GENBANK-D90856; GENBANK-D90857; GENBANK-D90858; GENBANK-D90859; GENBANK-D90860; GENBANK-D90861; GENBANK-D90862; GENBANK-D90863; GENBANK-D90864; GENBANK-D90865; GENBANK-D90866; GENBANK-D90867; GENBANK-D90868; GENBANK-D90869; GENBANK-D90870; GENBANK-D90871; GENBANK-D90872; GENBANK-D90873; GENBANK-D90874; GENBANK-D90875; GENBANK-D90876; GENBANK-D90877; GENBANK-D90878; GENBANK-D90880; GENBANK-D90881; GENBANK-D90882; GENBANK-D90883; GENBANK-D90884 ENTRY MONTH: 199711 => s leuw (s) gene L23 1 LEUW (S) GENE ≃> d ti 123 L23 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2000 ACS Production of clostridial toxins with recombinant cells producing rare TIcodon-recognizing tRNAs => s trnacualeu L24 4 TRNACUALEU => d ti 124 1-4 ANSWER 1 OF 4 CAPLUS COPYRIGHT 2000 ACS A single base change in the acceptor stem of tRNA3Leu confers resistance upon Escherichia coli to the calmodulin inhibitor, 48/80 ANSWER 2 OF 4 CAPLUS COPYRIGHT 2000 ACS High-resolution NMR study of yeast tRNACUALeu and the native and denatured conformers of yeast tRNAUUGLeu

Structural analysis of nonradioactive RNA by postlabeling. Primary

L24 ANSWER 3 OF 4 CAPLUS COPYRIGHT 2000 ACS

structure of bakers yeast tRNACUALeu

L24 ANSWER 4 OF 4 BIOSIS COPYRIGHT 2000 BIOSIS